

P/N AVX-10K-CNS-AH

FLIGHT LINE TEST SET

Catégories : Electrical Test Case, Testing, measurement and maintenance tools, benches



PRODUCT DESCRIPTION

Communication, Navigation and Surveillance package

Direct replacement of the IFR4000 & IFR6000 (2-in-1)

The AVX-10K is a comprehensive flight line test solution providing today's Avionics Technician with an easy-to-use instrument for many maintenance needs. From a quick airborne system auto-test to an indepth troubleshooting tool, testing can conveniently be done around the aircraft or in the cockpit from the touchscreen display or using your mobile device.

Benefits :

- Time saving ease of operation
- Easily updated with future applications
- Test in and around the aircraft from your mobile device
- Recall saved test sequences for future use
- Provides accurate positional data for ADS-B testing

+33 467 455 564

150, Rue Maurice Béjart

34080 Montpellier, FRANCE

contact@kit-aero.com

www.kit-aero.com

- Compliant with global regulatory requirements

This kit includes :

- AVX-10K unit
- AC/DC power adapter
- Hand strap
- AC power cord
- Manual, operations
- Manual, quick start
- Carrying case, hard transit
- Calibration kit, VSWR/DTF
- Antenna, VOR/ILS
- Antenna, marker beacon
- Cable, coax 6'
- Antenna, RF flat panel w/1' cable
- Coupler, UC-584 w/25' cable
- Coupler, IC-584S w/25' cable

The software options included :

- Transponder modes A,C,S
- ADS-B-In/Out/GICB/Target gen
- TCAS I/II
- DME
- UAT In/Out
- Navigation (ILS/MB/VOR)
- ELT 121.5/243/406MHz
- Radio test AM/FM (comms)



TECHNICAL INFORMATION

Applicabilité

H145(D-3), H145M, EC135, EC145, EC635, H135, H145

+33 467 455 564

150, Rue Maurice Béjart

34080 Montpellier, FRANCE

contact@kit-aero.com

www.kit-aero.com

REFERENCED PARTNER

AIRBUS

ATA	34-00
POIDS	14,51 (kg)
DIMENSIONS	62,23 x 49,2 x 31 (cm)
Caractéristiques techniques	– Configurable test capability
	– Intuitive user interface
	– Software defined applications
	– Remote operation
	– Android™ and iOS® compatible
	– Guided Test
	– Built-in GPS receiver
	– International test configurations